Paper Reference(s) 4PH1/2P
Pearson Edexcel International GCSE (9–1)

Physics

PAPER: 2P

Formulae Booklet

DO NOT RETURN THIS FORMULAE BOOKLET WITH THE QUESTION PAPER.



You may find the following formulae useful.

energy transferred = current × voltage × time E = I × V × t

frequency =
$$\frac{1}{\text{time period}}$$

$$f = \frac{1}{T}$$

$$power = \frac{work done}{time taken}$$

$$P = \frac{W}{t}$$

$$power = \frac{energy\ transferred}{time\ taken}$$

$$P = \frac{W}{t}$$

orbital speed =
$$\frac{2\pi \times \text{orbital radius}}{\text{time period}}$$

$$v = \frac{2 \times \pi \times r}{T}$$

$$(final speed)^2 = (initial speed)^2 +$$

(2 × acceleration × distance moved)

$$v^2 = u^2 + (2 \times a \times s)$$

pressure × volume = constant

$$p_1 \times V_1 = p_2 \times V_2$$

$$\frac{\mathbf{p_1}}{\mathbf{T_1}} = \frac{\mathbf{p_2}}{\mathbf{T_2}}$$

(continued on the next page)

force =
$$\frac{\text{change in momentum}}{\text{time taken}}$$

$$F = \frac{(mv - mu)}{t}$$

$$\frac{\lambda - \lambda_0}{\lambda_0} = \frac{\Delta \lambda}{\lambda_0} = \frac{\mathbf{v}}{\mathbf{c}}$$

change in thermal energy = mass × specific heat capacity × change in temperature

$$\Delta Q = m \times c \times \Delta T$$

Where necessary, assume the acceleration of free fall, $g = 10 \text{ m/s}^2$.